



# SKELLERUP

## 2013 FOOTWEAR RANGE



Proven Reliability and Performance in Footwear



**Red Band**

Kiwi Icon; mid-calf length farm boot with heavy duty cleated sole; built-in rubber foam cushioned innersole.

Sizing: 4-14 Codes: FRR104 – FRR114



**4x4 Power**

High performance calf length boot built for extra comfort and protection; removable cushioned PU innersole; ribbed protection panels; mud grip sole.

Sizing: 4-13 Codes: FRF004 – FRF013



**Ashley Steel Toe**

Mid-calf length lace-up rubber boot; waterproof tongue gusset; steel toe and oil and acid resistant moulded sole.

Standards: AS/NZS 2210.3  
Sizing: 5-13 Codes: FSA525 – FSA533



**Perth**

Like the Red Band, a proven performer; tall farm boot with heavy duty cleated sole; built-in rubber foam cushioned innersole.

Sizing: 4-15 Codes: FRP124 – FRP135



**4x4 Marathon**

Tall style of the 4x4 Power with the same added comfort and protection.

Sizing: 4-13 Codes: FRF104 – FRF113



**Perth Safety**

Proven performance of the Perth with the added benefit of a steel toe and oil and acid resistant moulded sole.

Standards: AS/NZS 2210.3  
Sizing: 5-14 Codes: FSP515 – FSP524



[www.redband.co.nz](http://www.redband.co.nz)

**MEN'S GUMBOOTS**

**Waterproof Footwear**

Skellerup has been supplying New Zealand industry with high quality genuine hand lasted footwear for 70 years. Ever since New Zealand's first rubber gumboot, the original "Marathon" emerged from the vulcaniser on September 9, 1943, Skellerup has set about creating a standard for waterproof footwear, not just here but around the world.

**Skellerup gumboots are all hand made to exacting specifications**

Every Skellerup boot is assembled by hand incorporating on average 30 components and four rubber formulations, before the finished product is vulcanised using heat and pressure. And to ensure comfort and compatibility with local conditions, all our boots are shaped to match typical New Zealand feet.

**Skellerup gumboots the "natural choice"**

Skellerup gumboots are made from 100% natural rubber and cotton canvas, both renewable resources.



**Ashley**

Mid-calf length lace-up rubber boot; waterproof tongue gusset; built-in rubber foam cushioned innersole; calendered sole.

Sizing: 5-13 Codes: FRA155 - FRA163



**Buller**

Ankle height lace-up rubber boot; waterproof tongue gusset; built-in rubber foam cushioned innersole; calendered sole.

Sizing: 6-13 Codes: FRB166 - FRB173



**Hiker**

Ankle height lace-up rubber boot; Waterproof padded tongue; Built-in rubber foam cushioned innersole; "Octopus" suction grip sole.

Sizing: 4-12 Codes: FRL124 - FRL132



### High Spec. High Performance.

Quatro is the next generation in waterproof footwear. Developed for New Zealand conditions by Skellerup's footwear design technician's and hand built using natural rubber formulations that meet our exacting quality standards, the Quatro range of boots provide exceptional comfort, traction and overall performance.



#### Quatro Calf

Ergonomically designed to lock in the foot and prevent heel slip; fully clad UV resistant natural rubber upper; elasticated top bind; 4mm CR-foam insulation; Quatro Comfort System innersole; cushioned rubber midsole; high abrasion cupped rubber outsole with tapered mud-release cleats.

Sizing: 4-14 Codes: FRQ204 - FRQ214



#### Quatro Safety Calf

High Spec. Protection and Performance. Proven UV resistant rubber shell; Quatro ComfortForm steel toecap; hard wearing anti-bacterial moisture wicking lining; fibreglass shank for stability; 360 SureGrip nitrile rubber outsole.

Standards: AS/NZS 2210.3, EN ISO 20345  
Sizing: 6-13 Codes: FQS506 - FQS513



#### Quatro Knee

Tall style of the Quatro Calf with the same features of warmth, comfort and cushioning.

Sizing: 4-14 Codes: FRQ304 - FRQ314



#### Quatro Safety Knee

Full boot foam insulation - rated to -50°C; oil, acid and heat resistant outsole.

Standards: AS/NZS 2210.3, EN ISO 20345  
Sizing: 6-13 Codes: FQS606 - FQS613



## INSULATED GUMBOOTS



#### Quatro Socks

Ergonomically designed with the Elastic Support System (ESS) to lock the sock to the foot. Strategically placed ventilation ribs control moisture management.

Sizing: 2-5, 6-10, 11-13 Codes: FMS500 - FMS502



#### Quatro Innersole

Maximising underfoot comfort: breathable, anti-bacterial, odour resistant, moisture wicking, built in heel and arch support, shock absorbing politec® heel pads.

Sizing: 4-14 Codes: FMI204 - FMI214



#### Boot Remover

Designed to aid boot removal; Made from lightweight, durable polypropylene.

Code: FSC775



**Red Band**

Incorporating all the features and benefits of the original Red Band for more slender feet; mid-calf length, with heavy duty cleated sole; built-in rubber foam cushioned innersole.

**Sizing:** 3-9  
**Codes:** FRR203 - FRR209



**Red Band**

The same features of the Kiwi icon for the little helper.

**Sizing:** Children 8-2 **Codes:** FRR008 - FRR015



**Red Band Junior**

Lightweight construction and a low heel provide extra stability for younger children; quick drying polyester lining and 3mm sponge foam innersole.

**Sizing:** Children 3c-7 **Codes:** FRR003 - FRR007



**Perth**

All the features and benefits of the Perth boot, for smaller feet; knee length, with heavy duty cleated sole; built-in rubber foam cushioned innersole.

**Sizing:** 3-8  
**Codes:** FRY143 - FRY148



**Terranova**

A general-purpose lightweight rubber boot for all the odd jobs around the farm; knee length; ultra lightweight.

**Sizing:** 3-9  
**Codes:** FRT186 - FRT192



**Terranova**

The same features of the Terranova, in a smaller size.

**Sizing:** Children 10-2 **Codes:** FRT180 - FRT185

**WOMEN'S, YOUTH & CHILDREN'S GUMBOOTS**

**Red Band Family**

When you're serious about keeping your whole family's feet warm and dry, you need a pair of serious gumboots.

Not flimsy, floral, wear-to-the-mall boots.

Real, no nonsense, work-a-lifetime Red Bands. The boots that helped Kiwis take care of this land for generations. Still are today.

Available from your local rural retailer or visit [www.redband.co.nz](http://www.redband.co.nz).



**Children's Pink & Red**

Reinforced forefoot and heel for added protection; quick drying polyester lining and 3mm sponge foam innersole for added comfort.

**Sizing:** Children 9-13, 1-3  
**Codes:** Pink FTL109 - FTL116  
Red FTR109 - FTR116



**Pony & Tractor**

Lightweight construction and a low heel for younger children, quick drying polyester lining and 3mm sponge foam innersole.

**Sizing:** Children 3c-8  
**Codes:** Pony FTL103 - FTL108  
Tractor FTR103 - FTR108



**Great Kiwi Innersole**

6mm felt innersole made in New Zealand from wool for warmth and comfort; ideal for use in gumboots. For womens sizing order two sizes smaller.

**Sizing:** 4-14 **Codes:** FMI904 - FMI914

## Schönen workboots

Schönen workboots have earned an unchallenged reputation for premium comfort and extended durability.

To achieve this only the very best components and raw materials from around the world have been incorporated in the construction process.

Skellerup's footwear design technicians have constructed the Schönen range to withstand the harshest treatment that New Zealand industry can demand.

In addition, mindful of the varying requirements across industry, the Schönen range incorporates different fittings and features to satisfy all situations and applications.



**Schönen 200**

Hard wearing full grain leather; shock absorbing PU midsole and steel shank; thermoplastic heel and toe stiffener for increased shape retention; lightweight, hard wearing PU All Terrain outsole.

Sizing: 4-13 Codes: FJS104 - FJS113



**Schönen 200 Safety**

The same features as the Schönen 200, but with an internal steel toe for additional protection.

Standards: EN ISO 20345  
Sizing: 4-13 Codes: FJS204 - FJS213



**Schönen 400**

Hard wearing full grain leather, padded and lined for additional comfort; shock absorbing PU midsole and steel shank; thermoplastic heel and toe stiffener for increased shape retention; lightweight, hard wearing PU All Terrain outsole.

Sizing: 4-13 Codes: FJS404 - FJS413



**Schönen 400 Safety**

All the features of the Schönen 400 with an internal steel toe cap.

Standards: EN ISO 20345  
Sizing: 4-13 Codes: FJS504 - FJS513



**Red Band Slip On**

Hard wearing buffalo leather; double layered, high quality memory-elastic; twin layer scuff-resistant toe guard; removable Red Band comfort innersole; shock absorbing polyurethane midsole; steel shank; hard wearing stippled polyurethane outsole.

Sizing: 4-14 Codes: FIT604 - FIT614



**Red Band Slip On Safety**

The same features as the Red Band Slip On, but with an internal steel toe for additional protection.

Standards: AS/NZS 2210.3  
Sizing: 4-14 Codes: FIT704 - FIT714



**Red Band Lace Up**

Hard wearing buffalo leather; padded leather tongue; speed lacing system and locking 'D' rings; anti-microbial padded linings; removable Red Band comfort innersole; shock absorbing polyurethane midsole; steel shank; hard wearing stippled polyurethane outsole.

Sizing: 4-14 Codes: FIT804 - FIT814



**Red Band Lace Up Safety**

All the features of the Red Band Lace Up with an internal steel toe cap.

Standards: AS/NZS 2210.3  
Sizing: 4-14 Codes: FIT904 - FIT914



**SKELLERUP**

**RED BAND WORK BOOTS**

**THE RED BAND BRAND IS A TRUE RURAL NEW ZEALAND ICON - IT'S TOUGH, TRIED AND BEEN TESTED ON FARMS FOR NEARLY 55 YEARS, IN FACT IT'S PART OF THE KIWI LANDSCAPE.**

**SPECIFICALLY ENGINEERED FOR RURAL NZ, THE RED BAND WORK BOOT IS THE ONLY BOOT THAT CARRIES THE RED BAND GUARANTEE OF QUALITY AND RELIABILITY.**

## WORKBOOTS



## RED BAND WORKBOOTS

**INTO IT BOOTS AND ALL.**





**Boot Remover**

Designed to aid boot removal; made from lightweight, durable polypropylene.

Code: FSC775



**Orthotic Innersole**

Anatomically designed 8mm polyurethane innersole with arch support for supreme comfort; minimises foot and joint pain from prolonged standing on hard surfaces; suitable for all types of footwear.

Sizing: 4-13 Codes: FMI704 - FMI713



**Quatro Innersole**

Maximising underfoot comfort: breathable, anti-bacterial, odour resistant, moisture wicking, built in heel and arch support, shock absorbing politec® heel pads.

Sizing: 4-14 Codes: FMI204 - FMI214



**Great Kiwi Innersole**

6mm felt innersole made in New Zealand from wool for warmth and comfort; ideal for use in gumboots. For womens sizing order two sizes smaller.

Sizing: 4-14 Codes: FMI904 - FMI914



**Schöen 1000**

Hard wearing full grain leather; padded and lined for additional comfort; shock absorbing PU midsole and steel shank; shape retaining thermoplastic stiffeners for added heel and ankle support; high abrasion resistant scuff guard and lightweight, hard wearing PU outsole.

Standards: EN ISO 20345  
Sizing: 6-13 Codes: FJS706 - FJS713



**Schöen 1100**

Premium full grain leather; full moisture wicking lining and foam cushioning; soft leather bellows tongue; cutaway comfort collar and lace locking guide; high abrasion nitrile rubber sole and double layered scuff resistant safety toe.

Standards: EN ISO 20345  
Sizing: 6-13 Codes: FIS706 - FIS713



**Schöen 1100 Spiked**

All the benefits and performance of the Schöen 1100 plus the advantage of a flat moulded sole with replaceable spikes.

Standards: EN ISO 20345  
Sizing: 6-13 Codes: FIS806 - FIS813



**Schöen Forestry Gumboot**

Knee height rubber boot with hard wearing, moulded fire-retardant rubber sole; highest chainsaw protection (Level 3) for AS/NZS Standards.

Standards: AS/NZS 2210.3, AS/NZS 2210.7, EN ISO 20345, EN ISO 17249  
Sizing: 6-14 Codes: FSC556 - FSC564



**Schöen Forestry Spiked Gumboot**

All the features of the Forestry boot with a hard wearing, fire-retardant rubber, flat moulded sole and replaceable spikes for the ultimate in grip.

Standards: AS/NZS 2210.3, AS/NZS 2210.7, EN ISO 20345, EN ISO 17249  
Sizing: 6-14 Codes: FSC756 - FSC764



**Lavoro Forestry**

Full grain leather; full SympaTex® bootie lining; Removable Airpump innersole; high-tech chainsaw protection fibres; full penetration-resistant steel plate; internal steel toe; soft, cushioning PU midsole and nitrile rubber outsole.

Standards: EN ISO 20345, EN ISO 17249  
Sizing: 6-12 Codes: FLC106 - FLC112

ACCESSORIES



**Boot Wax**

A combination of beeswax, tanners neatsfoot oil and metal stearate; actively retains the original character of the leather.

Code: FSC777



**Boot Laces**

Made in New Zealand from premium grade materials; available in 2 lengths.

Codes: 150cm FML150, 180cm FML125



**Schöen Forestry**

Ideal for use with Forestry footwear.

Composition: Merino Wool, Nylon, Elastic, Lycra  
Colour: Black/Orange  
Sizing: 6-10, 11-13  
Codes: FMS541 - FMS542



**Boot Spikes**

To fit Schöen Forestry gumboots and work boots; 60 per bag with key for easy removal and replacement.

Codes: Stainless Steel FSC781, Tungsten Carbide FSC782

FORESTRY

**Levels of protection:**

3 levels of protection are available, denoting different levels of chainsaw resistance (refer to table).

| Levels of Protection | Chain speed (m/s) |
|----------------------|-------------------|
| 1                    | 20                |
| 2                    | 24                |
| 3*                   | 28                |

It is recommended to select footwear in line with the chainsaw speed. It is important that there is an overlap between the protective material within the footwear and the trousers.

\*Schöen Forestry gumboots are certified to Level 3 Protection.



### Superfleece

Ideal for year-round use in all types of footwear; all over Merino wool interior loop pile cushioning; nylon plating to the outside for stretch and durability; heavyweight sole padding; nylon reinforced heel and toe.

**Composition:** Merino Wool, Nylon, Elastic  
**Colour:** Donkey, Navy  
**Sizing:** 7-8, 9-10, 11-13  
**Codes:** Donkey FMS101 - FMS103, Navy FMS111 - FMS113



### Merino Comfort

All purpose, premium comfort sock; knitted from extra fine Merino wool to reduce bulk; light elastication in the leg to prevent compression; loop pile cushioning to provide comfort and warmth; medium density sole cushioning.

**Composition:** Merino Wool, Cotton, Nylon, Elastic  
**Colour:** Natural  
**Sizing:** 2-5, 6-10, 11-13  
**Codes:** FMS180 - FMS182



### Red Band Children's

Internal cushion knit comfort provides luxurious support; high stretch cuff for ease of movement; full cushioning throughout.

**Composition:** Wool, Acrylic, Polyester, Elastane  
**Colour:** Red/Black  
**Sizing:** 5-8, 9-12, 13-3  
**Codes:** FMS515, FMS513, FMS514



### Red Band

Specifically designed for use with gumboots. All over cushion knit comfort; strategically positioned Elastic Support System (ESS) to prevent sock ride down; high leg construction to minimise leg chafing; smooth toe seam.

**Composition:** Merino Wool, Nylon, Elastane  
**Colour:** Red/Black  
**Sizing:** 2-5, 6-10, 11-13  
**Codes:** FMS510 - FMS512



### Quatro

Ideal for use in insulated boots. Ergonomically designed with the Elastic Support System (ESS) to lock the sock to the foot; strategically placed ventilation ribs to control moisture management; wide elastic arch to prevent foot compression; seamless toe seam.

**Composition:** Merino Wool, Nylon, Elastic, Lycra  
**Colour:** Black/Grey  
**Sizing:** 2-5, 6-10, 11-13  
**Codes:** FMS500 - FMS502



### Schöen Forestry

Ideal for use with Forestry footwear. Features the innovative Elastic Support System (ESS) that locks the sock to the foot; underfoot ventilation ribs control moisture management; wide elastic arch; seamless toe seam.

**Composition:** Merino Wool, Nylon, Elastic, Lycra  
**Colour:** Black/Orange  
**Sizing:** 6-10, 11-13  
**Codes:** FMS541 - FMS542

## WORKING SOCKS



### Red Band 3 pack

All over cushion knit comfort; strategically positioned Elastic Support System (ESS) to prevent sock ride down; high leg construction to minimise leg chafing; smooth toe seam.

**Composition:** Merino Wool, Nylon, Elastane  
**Colour:** Red/Black  
**Sizing:** 6-10, 11-13  
**Codes:** FMS531 - FMS532



### Gumbboot 3 pack

Ideal for use in gumboots. The Elastic Support System (ESS) prevents sock ride down and movement; high leg construction to minimise leg chafing; smooth toe seam.

**Composition:** Merino Wool, Nylon, Elastic  
**Colour:** Denim  
**Sizing:** 6-10, 11-13  
**Codes:** FMS231 - FMS232



### Superfleece 3 pack

Ideal for use in workboots. High levels of comfort and cushioning; external nylon plating for stretch and durability; heavyweight sole padding.

**Composition:** Merino Wool, Nylon, Elastic  
**Colour:** Donkey, Navy  
**Sizing:** 7-8, 9-10, 11-13  
**Codes:** Donkey FMS233 - FMS235, Navy FMS241 - FMS243



### Marshall 3 pack

Hard wearing work sock with wool blend for warmth, comfort and insulation; elasticated 1x1 rib top; loop pile cushioning throughout for insulation, comfort and protection; smooth toe seam.

**Composition:** Superwash Wool, Acrylic, Nylon  
**Colour:** Khaki  
**Sizing:** 6-10, 11-13  
**Codes:** FMS325 - FMS326



### Outdoor 3 pack

All purpose, heavyweight knit sock with elastic rib cuff.

**Composition:** Acrylic, Polyester  
**Colour:** Black  
**Sizing:** 6-10, 11-13  
**Codes:** FMS221 - FMS222



### Dress 2 pack

A fine Merino wool sock for everyday business or casual wear; knitted for comfort with the softness of Merino wool; nylon reinforcing to the outside for durability.

**Composition:** Merino Wool, Nylon, Elastane, Lycra  
**Colour:** Black, Navy  
**Sizing:** 3-8, 8-13  
**Codes:** Black FMS264 - FMS265, Navy FMS266 - FMS267

## TECHNICAL SOCKS

**Earthtec™** from Skellerup is a revolutionary, purpose-specific sock range - the result of combining leading-edge technology and premium yarn selections to deliver new levels of comfort, resilience, practicality and longevity.

Naturally, wool is the base fibre for Earthtec™. Soft to touch and warm, even when wet, wool's hygroscopic properties allow it to take up moisture in vapour form absorbing a massive 30% of its weight without feeling damp or clammy.



### Ultimate

A premium sock with very high levels of comfort and cushioning; incorporates the Elastic Support System (ESS) that locks the sock to the foot; double cuff high stretch 1x1 rib top; heavy sole cushioning; nylon reinforced heel, sole and toe.

**Composition:** Merino Wool, Nylon, Elastic  
**Colour:** Khaki, Navy  
**Sizing:** 6-10, 11-13  
**Codes:** Khaki FMS114 - FMS115, Navy FMS116 - FMS117



### Thermo

Medium weight sock for work, tramping or casual wear; all over loop piled interior knit; stretch cuff with elastane; nylon reinforced heel, sole and toe.

**Composition:** Wool, Acrylic, Nylon, Elastane  
**Colour:** Black, Navy  
**Sizing:** 6-10, 11-13  
**Codes:** Black FMS165 - 166, Navy FMS154 - FMS155



### Cool Air

Ideal for hot conditions; incorporates Coolmax™ to wick away moisture and maximise breathability; lightweight knit construction for bulk reduction and breathability; medium weight sole cushioning.

**Composition:** Coolmax™, Nylon, Elastic  
**Colour:** Grey/White  
**Sizing:** 6-10, 11-13  
**Codes:** FMS131 - FMS132





**PRODUCT SPECIFICATIONS**

| STYLE                   | FEATURES   |          |                |             |            |                    | SOLE CONSTRUCTION           |                       |                |                                |             | RESISTANCE |           |                          |                          | SAFETY STANDARDS |               |              |              |
|-------------------------|------------|----------|----------------|-------------|------------|--------------------|-----------------------------|-----------------------|----------------|--------------------------------|-------------|------------|-----------|--------------------------|--------------------------|------------------|---------------|--------------|--------------|
|                         | Medium Fit | Wide Fit | Extra-Wide Fit | Fully Lined | Safety Toe | External Scuff Cap | Polyurethane / Polyurethane | Polyurethane / Rubber | Nitrile Rubber | Moulded Flame Retardant Rubber | Spiked Sole | Oil & Acid | Chemicals | Heat Resistance to 130°C | Heat Resistance to 300°C | AS/NZS 2210.3    | AS/NZS 2210.7 | EN ISO 20345 | EN ISO 17249 |
| Perth Safety            |            |          | Y              |             | Y          |                    |                             |                       | Y              |                                |             | Y          |           |                          | Y                        | Y                |               |              |              |
| Ashley Steel Toe        |            |          | Y              |             | Y          |                    |                             |                       | Y              |                                |             | Y          |           |                          | Y                        | Y                |               |              |              |
| Quatro Safety           |            |          | Y              | Y           | Y          |                    |                             |                       | Y              |                                |             | Y          |           |                          | Y                        | Y                |               | Y            |              |
| Schöen 200              |            | Y        |                |             |            |                    | Y                           |                       |                |                                |             | Y          |           | Y                        |                          |                  |               |              |              |
| Schöen 200 Safety       |            | Y        |                |             | Y          |                    | Y                           |                       |                |                                |             | Y          |           | Y                        |                          |                  |               | Y            |              |
| Schöen 400              |            | Y        |                | Y           |            |                    | Y                           |                       |                |                                |             | Y          |           | Y                        |                          |                  |               |              |              |
| Schöen 400 Safety       |            | Y        |                | Y           | Y          |                    | Y                           |                       |                |                                |             | Y          |           | Y                        |                          |                  |               | Y            |              |
| Red Band Slip On        |            | Y        |                |             |            | Y                  | Y                           |                       |                |                                |             | Y          |           | Y                        |                          | Y                |               |              |              |
| Red Band Slip On Safety |            | Y        |                |             | Y          | Y                  | Y                           |                       |                |                                |             | Y          |           | Y                        |                          | Y                |               |              |              |
| Red Band Lace Up        |            | Y        |                | Y           |            |                    | Y                           | Y                     |                |                                |             | Y          |           | Y                        |                          | Y                |               |              |              |
| Red Band Lace Up Safety |            | Y        |                | Y           | Y          | Y                  | Y                           |                       |                |                                |             | Y          |           | Y                        |                          | Y                |               |              |              |
| Schöen 1000             |            | Y        |                | Y           | Y          | Y                  | Y                           |                       |                |                                |             | Y          |           | Y                        |                          |                  |               | Y            |              |
| Schöen 1100             |            |          | Y              | Y           | Y          | Y                  |                             |                       | Y              |                                |             | Y          |           |                          | Y                        |                  |               | Y            |              |
| Schöen 1100 Spiked      |            |          | Y              | Y           | Y          | Y                  |                             |                       | Y              |                                | Y           | Y          |           |                          | Y                        |                  |               | Y            |              |
| Schöen Forestry         |            |          | Y              |             | Y          |                    |                             |                       |                | Y                              |             | Y          | Y         |                          | Y                        | Y                | Y             | Y            | Y            |
| Schöen Forestry Spiked  |            |          | Y              |             | Y          |                    |                             |                       |                | Y                              | Y           | Y          | Y         |                          | Y                        | Y                | Y             | Y            | Y            |
| Lavoro Forestry         | Y          |          |                | Y           | Y          | Y                  |                             | Y                     |                |                                |             | Y          |           |                          | Y                        |                  |               | Y            | Y            |

**SIZE GUIDE**

| MEN'S GUMBOOTS |                  | WOMEN'S/YOUTH GUMBOOTS |                  | CHILDREN'S GUMBOOTS |                  | JUNIOR GUMBOOTS |                  | MEN'S WORKBOOTS |                  | SCHÖEN 1100 WORKBOOTS |                  | LAVORO WORKBOOTS |                  |
|----------------|------------------|------------------------|------------------|---------------------|------------------|-----------------|------------------|-----------------|------------------|-----------------------|------------------|------------------|------------------|
| SIZE           | FOOT LENGTH (MM) | SIZE                   | FOOT LENGTH (MM) | SIZE                | FOOT LENGTH (MM) | SIZE            | FOOT LENGTH (MM) | SIZE            | FOOT LENGTH (MM) | SIZE                  | FOOT LENGTH (MM) | SIZE             | FOOT LENGTH (MM) |
| 4              | 242              | 4                      | 219              | 8                   | 152              | 3c              | 125              | 4               | 237              | 4                     |                  | 4                |                  |
| 5              | 250              | 5                      | 230              | 9                   | 161              | 4               | 132              | 5               | 244              | 5                     |                  | 5                |                  |
| 6              | 258              | 6                      | 237              | 10                  | 170              | 5               | 139              | 6               | 253              | 6                     | 251              | 6                | 264              |
| 7              | 265              | 7                      | 248              | 11                  | 178              | 6               | 146              | 7               | 261              | 7                     | 258              | 7                | 272              |
| 8              | 274              | 8                      | 255              | 12                  | 187              | 7               | 153              | 8               | 271              | 8                     | 267              | 8                | 283              |
| 9              | 284              | 9                      | 263              | 13                  | 195              | 8               | 160              | 9               | 280              | 9                     | 275              | 9                | 292              |
| 10             | 292              | 10                     | 270              | 1                   | 203              | 9               | 180              | 10              | 290              | 10                    | 284              | 10               | 297              |
| 11             | 300              |                        |                  | 2                   | 210              | 10              | 187              | 11              | 299              | 11                    | 290              | 11               | 305              |
| 12             | 309              |                        |                  |                     |                  | 11              | 194              | 12              | 309              | 12                    | 300              | 12               | 310              |
| 13             | 317              |                        |                  |                     |                  | 12              | 201              | 13              | 318              | 13                    | 310              | 13               |                  |
| 14             | 326              |                        |                  |                     |                  | 1               | 212              | 14              | 327              | 14                    |                  | 14               |                  |
| 15             | 334              |                        |                  |                     |                  | 2               | 220              |                 |                  |                       |                  |                  |                  |
|                |                  |                        |                  |                     |                  | 3               | 227              |                 |                  |                       |                  |                  |                  |

\* Please note these measurements relate to length only and do not take into account varying widths





**SKELLERUP**

**Skellerup Industries Limited**

**124 Marshall Street, Woolston 8023  
Private Bag 4736, Christchurch 8140**

**CUSTOMER SERVICE: 0800 475 355  
PH: (03) 389 9189 Fax: (03) 381 7795**

**Email: [info@skellerup.co.nz](mailto:info@skellerup.co.nz) [www.skellerupfootwear.com](http://www.skellerupfootwear.com)**