



Safety Data Sheet

AUTOSOL Chrome & Metal Polish

**Not Hazardous according to the Criteria of Worksafe Australia
14 October 2009**

1. Identification of the substance/preparation

Name of product: **AUTOSOL CHROME and METAL-POLISH**

Manufacturer/distributor identification

Manufacturer: Dursol-Fabrik
Martinstrasse 22
42655 Solingen Germany
Phone: 0011-49-212 27180

Australian Distributor: C.M.S. International Pty Limited
P.O. Box 39 Brookvale 2100
1/1 Rowe Street HARBORD NSW 2096
Phone : 61-2 9905 8400
Fax : 61-2 9905 8355

24 Hour Emergency Phone: 61-2 9905 8400 (or Mobile 0411 366 260)

2. Composition / information on ingredients

Chemical characterisation (substance):

Emulsion on base of water-/hydrocarbons with:
Aliphatic/aromatic hydrocarbons, care components, polishing agents

3. Possible hazards

unknown (see point 11)

4. First aid measures

Skin contact: In case of contact with skin wash off immediately with soap and water.

Eye contact: In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Ingestion: Do not induce vomiting. Seek medical advice immediately.



C.M.S. International Pty. Ltd.

Safety Data Sheet

AUTOSOL Chrome & Metal Polish

5. Fire-fighting measures

Suitable extinguishing material: carbon dioxide, dry powder, foam, water.

Extinguishing material that must not be used for safety reasons: none

Special exposure hazards extinguishing from the substance or preparation itself, combustible products or resulting gases: unknown

Special protective equipment for firefighters: none

6. Accidental release measures

Personal precautions: Use personal protective clothing.

Methods for cleaning up/taking up: Take up mechanically. Do not discharge into the drain.

7. Handling and storage

Advice on safe handling: Provide good room ventilation.

Advice on protection against fire and explosion: No special measures necessary.

8. Exposure controls/personal protection

Ingredients with occupational exposure limits to be monitored: see point 11

Personal protection equipment: Gloves are recommended for intensive use over longer periods. Avoid contacts with eyes.

Hygiene measures: Keep away from food and drink.



C.M.S. International Pty. Ltd.

Safety Data Sheet

AUTOSOL Chrome & Metal Polish

9. Physical and chemical properties

Form: pasty

Colour: white-grey

Odour: oil-like/of ammonia

Changes in physical state:

melting point below 0 C

Boiling range from approx. 100 C

Flash point none under 100°C

Density: (at 20°C) 1.26 g/ml

Solubility in water: limited mixable

pH-Wert (at 10 g/l water): approx. 9.5

Viscosity: 1500-2000 m/ Pa /s

10. Stability and reactivity - Hazardous decomposition products: unknown

11. Toxicological information

The product is slightly resorbed by mucous membranes.

De-aromaticated hydrocarbons 15-30 % CAS-Nr.: 64742-88-7

Limit for hydrocarbons at place of work: 200 ml/m³

100 % ammonia less than 5 % CAS-Nr.: 7664-41-7

MAK: 50 ppm or 35 mg/m³

12. Ecological information

German national legislation:

Water hazard class (self/assessment) : WGK 2 (dangerous for water)

13. Disposal considerations

German national legislation: Waste code No.: 54705

In accordance with regulations for special waste, must be taken, after pretreatment, to an authorised special waste incineration plant.



C.M.S. International Pty. Ltd.

Safety Data Sheet

AUTOSOL Chrome & Metal Polish

14. Transport information

GGVSee/IMDG-Code:	not classified	UN-No.:	not classified
GGVE/GGVS:	not classified	RID/ADR:	not classified
ICAO/IATA-DGR:	not classified	ADNR:	not classified

15. Regulatory information

Labelling: not classified
Classification according to VbF/remarks: none
Water hazard class (self/assessment): WGK 2 (dangerous for water)

AUTOSOL Chrome and Metal-Polish is a composition
All ingredients are listed in TSCA.

16. Other information

PART NOS. /PACK SIZES:	ART1000	100gm tube boxed
	1000BP	100gm tube carded
	1033	333gm tub
	1100	1kg tin
	1102	20kg drum

AUSTRALIAN IMPORTERS: C.M.S. INTERNATIONAL PTY LTD
P.O. Box 39, Brookvale Sydney 2100

1/1 ROWE STREET HARBORD NSW 2096

PH: 61-2 9905 8400 FAX: 61-2 9905 8355

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE WHETHER ORIGINATING FROM THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF THE NEED THAT THE INFORMATION IS CURRENT, APPLICABLE AND SUITABLE TO THEIR CIRCUMSTANCES.