





GUARDING YOUR GEAR

NEW ZEALAND MADE



WHY SENTRY?

SUPERIOR NZ MADE QUALITY

When you invest in a Sentry shed by Duratuf, you are investing in a New Zealand made quality product that you can rely on. Manufactured on home turf means your shed will possibly stay sitting there for that much longer. Further to that, only the best of materials are used from NZ grown timber through to premium hi-tensile steel and quality fastenings.

Keeping Kiwis in jobs plays an important role in our community and gives the added assurance of controlled quality during manufacture, coupled with a locally backed warranty - we'll be here if you need us!



STRONGER SEMI-TIMBER FRAME CONSTRUCTION

The Sentry shed has a unique easy-to-build panel assembly system using timber top & bottom plates. This provides extra strength and rigidity and is superior in strength and versatility to other non-timber reinforced sheds.

All timber is sourced locally in NZ and treated to H4 standards for all areas where there may be ground contact.


With a timber base plate, fixing the shed down is a dream, and now with a roof securely attached to the top frame using galvanised sealed nails, it's not going to blow away in the first puff of wind either.



ADVANCED WATER RUN OFF

As with all buildings, it is important that water flows away from your garden shed. Trapped water can potentially allow water ingress and then ultimately, corrosion of the steel cladding. Unlike many other sheds, the Sentry Shed does not have steel channels at the base of the wall. This allows water to drain away unimpeded.

Further to this, when mounting your Sentry Shed on a raised concrete floor pad, the assembly can be done in such a way that the steel wall sheets overlap the concrete floor for ultimate weather proofing.



EASY TIMBER FLOOR KITS

Optional timber floor kits are a good way to create a clean, dry platform up off the ground for storing your valuable gear on. Sentry floor kits work differently to most other garden shed floors. The floor is fixed inside the shed on the timber bottom plate, creating a strong base for the shed.

The Sentry floor kit contains all the materials that you will need including H4 ground treated joists and floorboards (cut to size) as well as the hardware required.



■ POURING A CONCRETE FLOOR?

Should you wish to build your shed so that the steel wall cladding overlaps the concrete base, we suggest your pad should be poured 15mm smaller than the base size of the shed.

This will enable sufficient clearance between the wall cladding and enable you to create a water tight shed.



ANTI-RUST STEEL CLADDING

Duratuf Sentry sheds feature a hi-tensile, deep ribbed 0.30 gauge steel cladding. Formed right here in New Zealand, it is available in a classic, non-rust, Zinc/Aluminium finish or your choice of three popular colour steel options. (See below)

For your further peace of mind, the Sentry Shed is backed up by a full 20 year warranty on all steel cladding. (Conditions apply)

Products may vary from illustrations.





Zinc / Aluminium



Karaka



Mist Green



Lichen



Skillion Roof




SS 2010		
BASE SIZE	2.020 X 1.020 (6 ft 8 X 3 ft 5 in)	
DOOR OPENING	920 mm	
SKU	Zinc	232826
	Mist Green	232818
	Lichen	232823
	Karaka	232813
	Timber Floor Kit	232572
	Clear roof panel	232626

Shown in Lichen

Against the house? Against the fence?

The Duratuf Sentry Skillion series has a roof that slopes to the front enabling it to sit hard against the wall. The perfect space saving solution for storing a large range of household items.


Height Diagram



22 1510		
BASE SIZE	1.52 X 1.02m (4 ft 11 X 3 ft 4 in)	
DOOR OPENING	920mm	
SKU	Zinc	232808
	Mist Green	232802
	Lichen	232805
	Karaka	232799
	Timber Floor Kit	232565
	Clear roof panel	232623

Shown in Zinc







	כי		

BASE SIZE	2.020 X 1.520 (6 ft 7 X 4 ft 11in)	
DOOR OPENING	920 mm	
SKU	Zinc	232754
	Mist Green	232746
	Lichen	232751
	Karaka	232743
	Timber Floor Kit	232562
	Clear roof panel	232613

Shown in Karaka

Height diagram



GUARDING YOUR GEAR



SL 1515

3E 1919		
BASE SIZE	1.520 X 1.520 (4 ft 11 X 4 ft 11in)	
DOOR OPENING	920 mm	
SKU	Zinc	232738
	Mist Green	232732
	Lichen	232735
	Karaka	232729
	Timber Floor Kit	232528
	Clear roof panel	232602

Shown in Lichen

Shed Alarms See Page 12






Need more space for bigger gear?

This range of medium sized Gable sheds provides plenty of space for your larger items. Stow away your bikes, BBQ's and mowers. There's plenty of room to move in any of these three functional sizes.

Optional Floor Kit



Height diagram





SG 2020 BASE SIZE 2.020 X 2.020m (6 ft 7 X 6 ft 7 in) DOOR OPENING Zinc 232642 Mist Green 232629 Lichen 232639 Karaka 232636 Timber Floor Kit 232536 Clear roof panel 232582


Shown in Mist Green

GUARDING YOUR GEAR



Shown in Karaka






Shown in Zinc



BASE SIZE	3.020 X 3.020m (9 ft 10 X 9 ft 10in)	
DOOR OPENING	1420 mm	
SKU	Zinc	232726
	Mist Green	232720
	Lichen	232723
	Karaka	232717
	Timber Floor Kit	232557
	Clear roof panel	232599

Shown in Lichen

Height Diagram (SG 3030 only)



Bigger and better...

The large Duratuf Sentry Gable sheds provide maximum storage capacity and the 3.0m models cater nicely for ride-on mower and quad bike access.

The unique '1 full door + a half door' system on the 3.0m series means they can be used as a single door shed if necessary, maximising the usable wall space.

Accessories



TIMBER FLOOR KIT

Pre cut 150 x 19 mm H3 treated boards. H4 Bearers. Nails included.



CLEAR ROOF PANEL

Clear roof panels provide UV free, natural daylight. Please note that clear panels may condensate more than steel



PEG DOWN KIT

Used to anchor your Sentry shed down to sand or dirt substrates. Kit includes 6 x H5 pegs and stainless steel. Tools required; Sledge hammer and screwdriver.

SKU: 126277



HEAVY DUTY WORK BENCH

Lock together construction with 250kg load rating per shelf. Size: 1.14m W x 0.50m D x0. 90m H.

SKU: 126311



BOLT DOWN KIT

The Duratuf Boltdown kit is used to mount your shed securely to a concrete base. Contains a unique bracket which tightly clamps the base plate to the concrete floor.

SKU: 126289



5 TIER SHELF UNIT

Bolt free interlocking kitset. MDF shelves, 350kg load rating per shelf. Size: 0.90m W x 0.40m D x 1.80m high.

SKU: 126300



BATTERY POWERED SHED ALARM

(Model DSA-MA20)Intruders beware!

- Ultra loud 130db alarm
- Easily attached to the timber framing
- Uses 4 x AA Batteries (not included)



SOLAR SHED LIGHT

Tested and proven to perform, the Duratuf Solar Shed Light is a must-have in the dark of night.

Tools Required





















Optional extras incur freight charges when ordered separately. Imperial dimensions are rounded and are as a guide only. Timber floor kits, where shown, are purchased as an optional extra.





PO box 11062, Hamilton 3251, New Zealand ph +64 7 847 0204 | fax +64 7 847 0205 sales@riverleagroup.co.nz | www.riverleagroup.co.nz

