

Duratuf

LIFESTYLE



**THE NEW SHED
ON THE BLOCK**

WWW.DURATUF.CO.NZ/LIFESTYLE







LIFESTYLE RANGE

Designed to meet the needs of a range of Kiwi lifestyles, the Duratuf Lifestyle Range is the ultimate in stylish, secure storage. With models that suit high density suburban living to sprawling country estates you're sure to find one that fits your requirements.

Made right here in New Zealand from quality materials and components, by our team with over 25 years of kitset building experience, a Duratuf Lifestyle Range shed is a worthy investment that'll pay off for decades to come.



Features at a Glance



Timeless Design

Horizontal corrugate cladding and wide gauge box flashings create a modern yet classic design aesthetic that looks striking on any landscape.



Superior Weatherproofing

Water is the last thing you want hanging around your shed. So while other brand sheds have steel channels that allow it to pool and corrode, Duratuf Lifestyle Range sheds have effective flashings to stop it getting in, and spouting to make sure it moves on quickly, either down the drain or diverted to a water tank or rain barrel.

(Downpipe kit required for Ponsonby and Fendalton models)



Tough Timber Framing

Like all Duratuf sheds the Lifestyle Range features a robust timber frame. This not only gives them a solid structural backbone, it does away with the need for steel channels that invite leaks and corrosion. Plus it gives you plenty of options when it comes to hanging up tools, or adding shelves and workbenches.

Framing is 45x45mm radiata pine on Ponsonby and Fendalton models. 70x45mm on all others. All timber is machine gauged, appropriately treated, and sourced from renewable New Zealand pine forests.





Generous Headroom

The towering 2.4m stud height means even the tallest loose forward won't go bumping their head. More importantly it gives you much needed extra space on a smaller footprint, and allows you store tall items and other gear in a space-saving vertical position.



Secure Roller Door

High and wide so you can get everything inside. A quality New Zealand made roller door provides uninhibited access for larger items, while giving you peace of mind knowing your valuable gear is kept safe from theft.

Available in many popular colour options (see page 10), combine it with your preferred shed colour to create a colour scheme tailored to your property.



Solid Steel Cladding

Not just a pretty face, our hi-tensile 0.4mm Armorsteel steel cladding with multi-layered paint coating is tough enough to resist even New Zealand's most extreme weather conditions. We're so confident we back it up with a 30 year guarantee.

Available in many popular colour options (see page 10), combine it with your preferred door colour to create a colour scheme tailored to your property.



Fully Customisable

Need something a bit different? We can customise any standard Lifestyle Range model to suit your requirements. Whether you need a personnel door for added access, or a window to let the breeze in. There's also a wide range of accessories you can add to make it your own (see page 11).

Models

View the full range at www.duratuf.co.nz/lifestyle



Ponsonby

Product Code: LMP


The ideal size to store your sports gear, lawnmower and tools while adding a touch of class to your unused space.

Base Dimensions

Width	Depth
2.400m	1.000m

Door

1.800m opening



Fendalton

Code: LMF



With extra width and a wider roller door the Fendalton provides secure storage for larger items.

Base Dimensions

Width	Depth
3.150m	1.000m

Door

2.400m opening





Matakana

Product Code: LEMK


Provides a secure, out of the way place to store bikes, BBQs, and any other belongings.

Base Dimensions

Width	Depth
2.400m	2.000m

Door

1.800m opening



Milford

Product Code: LEMF


Ideal as a tackroom, parking spot for your quad bike, or a silo to store feed for livestock.

Base Dimensions

Width	Depth
3.150m	2.000m

Door

2.400m opening





Models

View the full range at www.duratuf.co.nz/lifestyle



Tamahere

Product Code: LET


The ultimate bike shed. Whether it's pedalled or motorised.

Base Dimensions

Width	Depth
4.000m	2.000m

Door

2.400m opening



Waimate

Product Code: LEW


A big 5 metres wide, great space for an easy access workshop.

Base Dimensions

Width	Depth
5.000m	2.000m

Door

2.400m opening





Marlborough Product Code: LRM


Added depth provides plenty of space for your ride on mower with ample room for additional storage.

Base Dimensions

Width	Depth
3.150m	3.150m

Door

2.400m opening



Kaipara Product Code: LRK


Makes for a good sized workshop with extra room on each side to set up workbenches and shelving.

Base Dimensions

Width	Depth
3.900m	2.550m

Door

2.400m opening





Colour Options

You can choose any combination of shed and door colour.

With a wide range of popular cladding colours you're sure to find a colour scheme to match your property.



Shed

Zinc-Alu · Lichen · Ironsand · Karaka · Ebony · Titania
Permanent Green · Thunder Grey · Gull Grey · Sandstone Grey · Grey Friars · Mist Green · Nightfall

Door

Zinc-Alu · Ironsand · Karaka · Ebony · Titania
Permanent Green · Gull Grey · Sandstone Grey
Grey Friars · Mist Green · Nightfall



Flooring Options

While the Ponsonby and Fendalton models are able to sit on an existing substrate like a driveway, deck or patio, all other models are designed to sit on a purpose built raised floor. As the cladding overhangs the bottom framing by 30mm to eliminate water ingress. We can provide this with our Plywood or Timber Floor Kit, otherwise you can lay a concrete pad or fabricate something to suit.



Plywood Floor Kit

Includes cut to size 17mm H3 plywood sheets, ground treated H4 joists, treadplate doorway flashing and all required hardware.

Timber Floor Kit

Includes cut to length thick gauge H3 timber floorboards, ground treated H4 joists, treadplate doorway flashing and all required hardware. (floorboards supplied in separate pack from main kitset)

Building A Raised Concrete Base


Step 1 - Establish size of shed and excavate sufficient area. Remember to allow for rear roof overhang of 150mm and 50mm for end walls.

Step 2 - Ensure that the base substrate is compacted firmly. We suggest that the slab should be 80mm thick in the middle and 100mm thick around the edges (Fig 2).

Step 3 - Lay boxing to the required size. The raised slab size should be 20mm smaller than the overall base size of the shed and at least 50mm above the ground line. (Fig. 1)

Step 4 - Lay plastic sheeting if required. Plastic sheeting under slab will prevent moisture coming through from underneath.

Step 5 - Pour concrete and screed flush.





Accessories




Clear Roof Panel



Bolt Down Kit



Peg Down Kit*



Shed Alarm



Heavy Duty Workbench



5 Tier Shelf Unit



Solar Security Light



Downpipe Kit**



Automatic Door Kit

*For fixing Ponsonby/Fendalton to ground or loose substrate

** Required for Ponsonby/Fendalton only. Standard on other models.



Assembly Options

Lifestyle Range sheds are a great project for a competent DIYer, otherwise we recommend hiring a builder or an assembly service.

Visit Duratuf.co.nz to view our recommended assemblers.



Tools Required



Drill



5/16 Hex Head Driver Bit



3.5mm & 10mm Drill bit



Square Driver Bit



Phillips Drill Bit



Slotted Drill Bit



Riveter



Hammer



Tape measure



Ladder



String Line



Adjustable Spanner



Level



Hand Saw



Caulking Gun



Tin Snips



Flat File



Pipe Wrench



Skillsaw and Jigsaw



Masonry Drill (12mm Drill bit)



Kitset Pack


Lifestyle Range sheds are delivered in a single crate as a ready to build kitset and come with comprehensive assembly instructions.

If ordered with a Timber Floor Kit this will be packaged separately.

0.6 - 0.8m

1m

2.6 - 5.2m





Duratuf
LIFESTYLE



PO Box 11062, Hamilton 3251, New Zealand
Manufacturers of Duratuf products

CUSTOMER HELPLINE
0800 GET A SHED (438 274)
P. +64 7 847 0204
F. +64 7 847 0205
E. customersupport@duratuf.co.nz
duratuf.co.nz