



# EG / ISO Sicherheitsdatenblatt Safety Data Sheet

Page: 1/4  
Issued: 29.11.2001

## 1. Identification of the substance /preparation

### Identification of the substance or preparation:

Name of product: **AUTOSOL Metal-Polish-Liquid**

### Manufacturer/distributor identification

#### Dursol-Fabrik

Martinstraße 22	Postfach 190210
D 42655 Solingen	D 42702 Solingen
Germany	Germany
Tel: +49 (0)212 2718-0	Fax: +49 (0)212 208795

Emergency phone: +49 (0)212 2718-0

## 2. Composition / information on ingredients

### Chemical characterisation (substance):

#### Aqueous emulsion with:

aliphatic hydrocarbons, polishing agents, emulsifier, fragrance, preservatives, care components

#### Hazardous Ingredients:

Mixture

aliphatic hydrocarbons 10 - 20% Xn R 65-66

CAS-No.: 64742-48-9

## 3. Possible hazards: unknown

## 4. First aid measures

**Ingestion:** Do not induce vomiting. Seek medical advice immediately and show this data sheet or label.

**Eye contact:** In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

## AUTOSOL Metal-Polish-Liquid

### 5. Fire-fighting measures

**Suitable extinguishing material:** no special materials are necessary

**Extinguishing material that must not be used for safety reasons:** none

**Special exposure hazards extinguishing from the substance or preparation itself, combustible products or resulting gases:** unknown

**Special protective equipment for fire-fighters:** none

### 6. Accidental release measures

**Personal precautions:** Refer to section 8 of SDS for personal protective details

**Methods for cleaning up / taking up:** Take up with absorbent material.

### 7. Handling and storage

**Advice on storage conditions:** Storage is according to german regulation like Water hazard class 1 (slightly endangerous for water).

**Advice on protection against fire and explosion:** none

### 8. Expose controls/ personal protection

**Ingredients with occupational expose limits to be monitored:**

	<b>TRGS 901</b>
aliphatic hydrocarbons	200 ppm / 1000mg/m <sup>3</sup>
CAS-No.: 64742-48-9	

**Personal protection equipment:** Not necessary when used according to instruction.  
Hand protection is recommended for intensive use over longer periods.

**Hygiene measure:** Keep away from food and drink.

## AUTOSOL Metal-Polish-Liquid

### 9. Physical and chemical properties

**Form:** emulsion

**Colour:** white

**Odour:** lemon like

**Changes in physical state:** melting point below 0°C  
boiling range from approx. 100°C

**Flash point:** none below 100°C DIN 51758  
**Density (20°C):** 1,15g/ml  
**Solubility in water:** mixable  
**pH-Value (10g/l water):** 8,5  
**Viscosity:** viscous

### 10. Stability and reactivity

**Hazardous decomposition products:** unknown

### 11. Toxicological information: unknown

### 12. Ecological information:

**German national legislation:**

**Water hazard class (self-assessment):** WGK 1 (slightly endangerous for water)

### 13. Disposal considerations

**European legislation:**

EWC-Code: 07 06 99 n.o.s.

## AUTOSOL Metal-Polish-Liquid

### 14. Transport information

<b>GGVSee / IMDG-Code:</b>	not classified	<b>UN-No:</b>	not classified
<b>GGVE / GGVS and RID / ADR:</b>	not classified		
<b>ICAO / IATA-DRG:</b>	not classified	<b>ADNR:</b>	not classified

### 15. Regulation information

**Labelling:** not classified

Although this product does not require a hazard warning label, we recommend that the safety advice should be observed:

S 62 If swallowed, do not induce vomiting. Seek medical advice immediately and show this data sheet or label.

**Classification according to VbF / remarks:** none

**Water hazard class (self-assessment):** WGK 1 (slightly endangerous for water)

### 16. Other information

none